



सी एस आई आर – भारतीय रासायनिक जीवविज्ञान संस्थान
CSIR-Indian Institute of Chemical Biology



NOTICE

Sub : Declaration of result of Proficiency Tests in connection with recruitment drive of Junior Secretariat Assistants (Gen/S&P/F&A) and Junior Stenographers against the Institute Advertisement no. R&C/550/2021 & R&C/555/2021 at CSIR-IICB, Kolkata– reg.

With reference to this Institute's Notice dated 12.04.2024 and 19.04.2024 against the Institute's Advertisement No. R&C/550/2021 and R&C/555/2021 for recruitment to the position of Junior Secretariat Assistant (Gen/S&P/F&A) and Junior Stenographer, for which Proficiency Tests were held during the period from 06/05/2024 to 12/05/2024, this is for information of all concerned that based on the performance in respect **Proficiency Tests** for the Junior Secretariat Assistant (Gen/S&P/F&A) and Junior Stenographer, the Selection Committee has found a total of **172 (One hundred and seventy two)** candidates qualified in Computer Typing Speed Test for the position of Junior Secretariat Assistant (Gen/S&P/F&A) and **18 (Eighteen)** candidates qualified in Stenography Tests for the positions of **Junior Stenographers**.

2. In accordance with the CSIR guidelines and based on the reservation position the selection committee adopted the following percentage of ignorable mistakes while determining the list of candidates qualified in proficiency test for the position of Junior Secretariat Assistant (Gen/S&P/F&A) and Junior Stenographer:

A. For the position of Junior Secretariat Assistant (Gen/S&P/F&A):

Categories	ESM	All other categories
Ignorable mistakes	7%	5%

B. For the position of Junior Stenographers:

Categories	UR	PwBD (Blindness and Low Vision)
Ignorable mistakes	7%	10%

3. Accordingly, the Roll Nos. of the **qualified candidates in proficiency test for the position of Junior Secretariat Assistant (Gen/S&P/F&A) and Junior Stenographer** are given below.

(A) Junior Secretariat Assistant (Gen/S&P/F&A):

1110001753	1110003278	1110004804	1110006052	1310000221	1510000260
1110001765	1110003310	1110004889	1110006135	1310000247	1510000272
1110001802	1110003342	1110004930	1110006336	1310000255	1510000364
1110001819	1110003414	1110004954	1110006573	1310000286	1510000378
1110001843	1110003540	1110004981	1110006642	1310000290	1510000424
1110001893	1110003547	1110004992	1110006704	1310000342	1510000430
1110001945	1110003568	1110004999	1110006723	1310000385	1510000441
1110001950	1110003585	1110005062	1110006778	1310000496	1510000442
1110001973	1110003660	1110005099	1110006906	1410000021	1510000499
1110001999	1110003808	1110005128	1110006921	1410000094	1510000578
1110002001	1110003828	1110005158	1110006925	1410000139	1510000601
1110002056	1110003848	1110005240	1110006962	1410000152	1510000614
1110002074	1110003974	1110005253	1110007146	1410000183	1510000619
1110002167	1110004070	1110005341	1110007171	1410000243	1510000682
1110002320	1110004140	1110005343	1110007200	1410000252	1610000037
1110002337	1110004208	1110005398	1110007212	1410000256	1610000123
1110002356	1110004234	1110005429	1210000016	1410000296	1610000129
1110002388	1110004312	1110005454	1210000070	1410000304	1610000215
1110002508	1110004373	1110005463	1210000081	1410000353	1610000260
1110002546	1110004398	1110005498	1210000092	1410000358	1610000304
1110002754	1110004399	1110005507	1210000100	1410000393	1610000376
1110002791	1110004421	1110005597	1210000103	1410000422	1610000396
1110002884	1110004478	1110005598	1210000104	1410000449	1610000407
1110002955	1110004556	1110005694	1210000109	1510000006	1610000414
1110003052	1110004569	1110005706	1210000133	1510000063	1610000440
1110003103	1110004601	1110005811	1210000161	1510000107	1610000448
1110003111	1110004628	1110005962	1210000163	1510000161	1610000483
1110003128	1110004686	1110005967	1310000040	1510000184	
1110003136	1110004722	1110006016	1310000072	1510000238	

Final merit list for the position of Junior Secretariat Assistant (Gen/S&P/F&A) will be prepared based on marks obtained in Paper-II of the written examination held on 05.11.2022.

(B) Junior Stenographer:

1110000076	1110000493	1110000812	1110000996	1110001165	1110001421
1110000171	1110000729	1110000923	1110001062	1110001297	1110001429
1110000454	1110000789	1110000937	1110001122	1110001318	1110001513

4. The detail of the computer type test status of all the candidates, who have appeared in proficiency test, for the position of **Junior Secretariat Assistant (Gen/SP/F&A)** is enclosed herewith in **annexure 'I' (page nos. 01 to 20)**.
5. The detail of the stenography test status of all the candidates, who have appeared in proficiency test, for the position of **Junior Stenographer** is enclosed herewith in **annexure 'II' (page nos. 01 to 05)**.
6. Candidates are encouraged to send their queries, if any, on the details notified in this regard within 10 (Ten) days from the date of issue of this notification at recruitment@iicb.res.in.
7. Candidatures of all the applicants are purely provisional. At any stage during the selection process or even after their joining to the post if it is detected that they are not eligible for the post(s) for not possessing the required qualification, experience or being over aged or not belonging to the category which they claimed, incomplete / inappropriate application, their candidature will be summarily rejected without assigning any reason and appropriate action will be taken in this regard.
8. Further communication on the subject would be notified only in the Institute website. Therefore, the candidates are advised to follow the Institute official websites <https://www.iicb.res.in/> for further update.

Sd/-
Administrative Officer
CSIR-IICB, Kolkata

Encl.: As above

Copy to :

1. Notice Board
2. Head IT Division: with a request to host this NOTICE on CSIR-IICB Website.
3. Office copy

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
1	1610000376	OBC	3130	626.00	17.00	31.30	0.00	62.60	-	NA	NA	Yes
2	1110001999	UR	2968	593.60	26.00	29.68	0.00	59.36	-	NA	NA	Yes
3	1210000081	SC	2948	589.60	18.00	29.48	0.00	58.96	-	NA	NA	Yes
4	1510000378	UR	2854	570.80	7.00	28.54	0.00	57.08	-	NA	NA	Yes
5	1210000070	EWS	2758	551.60	9.00	27.58	0.00	55.16	-	NA	NA	Yes
6	1110004373	UR	2597	519.40	17.00	25.97	0.00	51.94	-	NA	NA	Yes
7	1110004628	SC	2593	518.60	1.50	25.93	0.00	51.86	-	NA	NA	Yes
8	1110001802	OBC	2583	516.60	3.00	25.83	0.00	51.66	-	NA	NA	Yes
9	1610000123	UR	2591	518.20	26.50	25.91	0.59	51.23	-	NA	NA	Yes
10	1510000499	OBC	2707	541.40	30.00	27.07	2.93	51.21	-	NA	NA	Yes
11	1110003052	UR	2508	501.60	11.00	25.08	0.00	50.16	-	NA	NA	Yes
12	1610000414	OBC	2478	495.60	10.50	24.78	0.00	49.56	-	NA	NA	Yes
13	1210000163	UR	2472	494.40	21.50	24.72	0.00	49.44	-	NA	NA	Yes
14	1110006962	OBC	2467	493.40	9.50	24.67	0.00	49.34	-	NA	NA	Yes
15	1110005343	OBC	2458	491.60	23.00	24.58	0.00	49.16	-	NA	NA	Yes
16	1310000247	UR	2455	491.00	4.50	24.55	0.00	49.10	-	NA	NA	Yes
17	1110002955	UR	2447	489.40	10.50	24.47	0.00	48.94	-	NA	NA	Yes
18	1110004601	SC	2439	487.80	6.00	24.39	0.00	48.78	-	NA	NA	Yes
19	1110006135	UR	2418	483.60	13.00	24.18	0.00	48.36	-	NA	NA	Yes
20	1110001819	UR	2416	483.20	5.00	24.16	0.00	48.32	-	NA	NA	Yes
21	1610000448	OBC	2406	481.20	12.00	24.06	0.00	48.12	-	NA	NA	Yes
22	1110005962	SC	2397	479.40	11.00	23.97	0.00	47.94	-	NA	NA	Yes
23	1510000424	OBC	2384	476.80	12.00	23.84	0.00	47.68	-	NA	NA	Yes
24	1410000256	OBC	2381	476.20	8.00	23.81	0.00	47.62	-	NA	NA	Yes
25	1110005253	UR	2374	474.80	22.50	23.74	0.00	47.48	-	NA	NA	Yes
26	1110004722	OBC	2629	525.80	31.50	26.29	5.21	47.37	-	NA	NA	Yes
27	1110004569	UR	2338	467.60	18.00	23.38	0.00	46.76	-	NA	NA	Yes
28	1110004686	SC	2320	464.00	8.00	23.20	0.00	46.40	-	NA	NA	Yes
29	1110001753	OBC	2317	463.40	4.50	23.17	0.00	46.34	-	NA	NA	Yes

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
30	141000021	SC	2314	462.80	2.00	23.14	0.00	46.28	-	NA	NA	Yes
31	1110005498	OBC	2310	462.00	12.00	23.10	0.00	46.20	-	NA	NA	Yes
32	1510000260	OBC	2310	462.00	10.50	23.10	0.00	46.20	-	NA	NA	Yes
33	1510000161	UR	2309	461.80	13.00	23.09	0.00	46.18	-	NA	NA	Yes
34	1410000358	SC	2301	460.20	11.00	23.01	0.00	46.02	-	NA	NA	Yes
35	1110005341	OBC	2299	459.80	14.00	22.99	0.00	45.98	-	NA	NA	Yes
36	1110006723	OBC	2294	458.80	9.00	22.94	0.00	45.88	-	NA	NA	Yes
37	1210000133	SC	2290	458.00	9.50	22.90	0.00	45.80	-	NA	NA	Yes
38	1110005598	SC	2289	457.80	21.00	22.89	0.00	45.78	-	NA	NA	Yes
39	1610000396	ST	2271	454.20	13.50	22.71	0.00	45.42	-	NA	NA	Yes
40	1410000393	UR	2269	453.80	17.50	22.69	0.00	45.38	-	NA	NA	Yes
41	1510000238	UR	2268	453.60	21.00	22.68	0.00	45.36	-	NA	NA	Yes
42	1510000442	OBC	2256	451.20	4.00	22.56	0.00	45.12	-	NA	NA	Yes
43	1110007171	UR	2253	450.60	4.00	22.53	0.00	45.06	-	NA	NA	Yes
44	1110006016	SC	2241	448.20	4.50	22.41	0.00	44.82	-	NA	NA	Yes
45	1110005507	OBC	2240	448.00	6.50	22.40	0.00	44.80	-	NA	NA	Yes
46	1110002001	OBC	2223	444.60	14.50	22.23	0.00	44.46	-	NA	NA	Yes
47	1310000221	OBC	2217	443.40	11.00	22.17	0.00	44.34	-	NA	NA	Yes
48	1610000440	EWS	2214	442.80	4.50	22.14	0.00	44.28	-	NA	NA	Yes
49	1210000161	EWS	2189	437.80	3.00	21.89	0.00	43.78	-	NA	NA	Yes
50	1210000109	UR	2171	434.20	5.00	21.71	0.00	43.42	-	NA	NA	Yes
51	1510000063	EWS	2169	433.80	12.50	21.69	0.00	43.38	-	NA	NA	Yes
52	1110002337	SC	2167	433.40	4.50	21.67	0.00	43.34	-	NA	NA	Yes
53	1110005128	UR	2161	432.20	12.50	21.61	0.00	43.22	-	NA	NA	Yes
54	1510000107	OBC	2160	432.00	21.50	21.60	0.00	43.20	-	NA	NA	Yes
55	1110003660	UR	2152	430.40	12.50	21.52	0.00	43.04	-	NA	NA	Yes
56	1310000342	OBC	2417	483.40	29.50	24.17	5.33	43.01	-	NA	NA	Yes
57	1110005099	UR	2138	427.60	16.00	21.38	0.00	42.76	-	NA	NA	Yes
58	1410000152	UR	2129	425.80	8.00	21.29	0.00	42.58	-	NA	NA	Yes

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
59	1110002074	EWS	2126	425.20	16.00	21.26	0.00	42.52	-	NA	NA	Yes
60	1110005597	UR	2122	424.40	7.00	21.22	0.00	42.44	-	NA	NA	Yes
61	1110004992	OBC	2121	424.20	17.50	21.21	0.00	42.42	-	NA	NA	Yes
62	1110001765	SC	2120	424.00	9.00	21.20	0.00	42.40	-	NA	NA	Yes
63	1110005240	OBC	2110	422.00	12.00	21.10	0.00	42.20	-	NA	NA	Yes
64	1510000682	EWS	2107	421.40	9.00	21.07	0.00	42.14	-	NA	NA	Yes
65	1110005463	OBC	2103	420.60	8.50	21.03	0.00	42.06	-	NA	NA	Yes
66	1110002388	UR	2100	420.00	10.00	21.00	0.00	42.00	-	NA	NA	Yes
67	1110003828	UR	2100	420.00	12.00	21.00	0.00	42.00	-	NA	NA	Yes
68	1610000129	UR	2097	419.40	13.50	20.97	0.00	41.94	-	NA	NA	Yes
69	1110004421	SC	2094	418.80	11.00	20.94	0.00	41.88	-	NA	NA	Yes
70	1310000385	SC	2084	416.80	13.00	20.84	0.00	41.68	-	NA	NA	Yes
71	1110004070	UR	2077	415.40	3.00	20.77	0.00	41.54	-	NA	NA	Yes
72	1310000286	OBC	2076	415.20	15.00	20.76	0.00	41.52	-	NA	NA	Yes
73	1210000103	UR	2072	414.40	20.50	20.72	0.00	41.44	-	NA	NA	Yes
74	1210000016	OBC	2060	412.00	9.00	20.60	0.00	41.20	-	NA	NA	Yes
75	1310000290	OBC	2056	411.20	14.00	20.56	0.00	41.12	-	NA	NA	Yes
76	1310000040	EWS	2049	409.80	1.00	20.49	0.00	40.98	-	NA	NA	Yes
77	1410000183	UR	2049	409.80	10.50	20.49	0.00	40.98	-	NA	NA	Yes
78	1110002056	UR	2045	409.00	15.50	20.45	0.00	40.90	-	NA	NA	Yes
79	1110005811	OBC	2042	408.40	6.00	20.42	0.00	40.84	-	NA	NA	Yes
80	1110006573	UR	2042	408.40	15.00	20.42	0.00	40.84	-	NA	NA	Yes
81	1110006921	SC	2055	411.00	21.00	20.55	0.45	40.65	-	NA	NA	Yes
82	1110002356	UR	2022	404.40	7.50	20.22	0.00	40.44	-	NA	NA	Yes
83	1110007200	UR	2022	404.40	5.00	20.22	0.00	40.44	-	NA	NA	Yes
84	1110005429	SC	2021	404.20	10.00	20.21	0.00	40.42	-	NA	NA	Yes
85	1110003585	OBC	2020	404.00	5.00	20.20	0.00	40.40	-	NA	NA	Yes
86	1510000601	UR	1995	399.00	8.00	19.95	0.00	39.90	-	NA	NA	Yes
87	1210000104	OBC	1992	398.40	7.50	19.92	0.00	39.84	-	NA	NA	Yes

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
88	1110002884	UR	1991	398.20	7.50	19.91	0.00	39.82	-	NA	NA	Yes
89	1610000215	OBC	1987	397.40	17.50	19.87	0.00	39.74	-	NA	NA	Yes
90	1110007212	OBC	1986	397.20	17.50	19.86	0.00	39.72	-	NA	NA	Yes
91	1110005694	UR	1978	395.60	8.50	19.78	0.00	39.56	-	NA	NA	Yes
92	1110002320	OBC	1968	393.60	15.00	19.68	0.00	39.36	-	NA	NA	Yes
93	1110005454	OBC	2124	424.80	24.50	21.24	3.26	39.22	-	NA	NA	Yes
94	1410000449	UR	1960	392.00	8.00	19.60	0.00	39.20	-	NA	NA	Yes
95	1110006778	UR	1953	390.60	2.00	19.53	0.00	39.06	-	NA	NA	Yes
96	1110001950	OBC	1950	390.00	18.00	19.50	0.00	39.00	-	NA	NA	Yes
97	1110003414	UR	1948	389.60	2.00	19.48	0.00	38.96	-	NA	NA	Yes
98	1110004234	EWS	1944	388.80	3.00	19.44	0.00	38.88	-	NA	NA	Yes
99	1510000364	UR	1942	388.40	12.50	19.42	0.00	38.84	-	NA	NA	Yes
100	1410000252	UR	1939	387.80	9.50	19.39	0.00	38.78	-	NA	NA	Yes
101	1110003974	SC	1938	387.60	8.00	19.38	0.00	38.76	-	NA	NA	Yes
102	1410000243	UR	1935	387.00	16.50	19.35	0.00	38.70	-	NA	NA	Yes
103	1110004312	UR	1930	386.00	14.00	19.30	0.00	38.60	-	NA	NA	Yes
104	1110001843	SC	1924	384.80	6.00	19.24	0.00	38.48	-	NA	NA	Yes
105	1110004208	OBC	1924	384.80	9.00	19.24	0.00	38.48	-	NA	NA	Yes
106	1110001893	UR	1923	384.60	6.00	19.23	0.00	38.46	-	NA	NA	Yes
107	1110005967	UR	2113	422.60	25.00	21.13	3.87	38.39	-	NA	NA	Yes
108	1110004478	OBC	1914	382.80	10.00	19.14	0.00	38.28	-	NA	NA	Yes
109	1110003342	UR	1910	382.00	4.50	19.10	0.00	38.20	-	NA	NA	Yes
110	1110006906	UR	1909	381.80	5.50	19.09	0.00	38.18	-	NA	NA	Yes
111	1110002508	SC	1908	381.60	12.00	19.08	0.00	38.16	-	NA	NA	Yes
112	1310000255	SC	1908	381.60	15.00	19.08	0.00	38.16	-	NA	NA	Yes
113	1510000184	OBC	2070	414.00	24.00	20.70	3.30	38.10	-	NA	NA	Yes
114	1110003310	UR	1903	380.60	16.50	19.03	0.00	38.06	-	NA	NA	Yes
115	1110004398	OBC	1901	380.20	3.00	19.01	0.00	38.02	-	NA	NA	Yes
116	1110006642	ST	1895	379.00	5.00	18.95	0.00	37.90	-	NA	NA	Yes

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
117	1110004556	SC	1894	378.80	9.00	18.94	0.00	37.88	-	NA	NA	Yes
118	1110004999	UR	2746	549.20	44.50	27.46	17.04	37.88	-	NA	NA	Yes
119	1110001973	OBC	1892	378.40	5.00	18.92	0.00	37.84	-	NA	NA	Yes
120	1110002167	UR	1892	378.40	14.00	18.92	0.00	37.84	-	NA	NA	Yes
121	1610000304	UR	1890	378.00	3.00	18.90	0.00	37.80	-	NA	NA	Yes
122	1410000094	UR	1888	377.60	13.50	18.88	0.00	37.76	-	NA	NA	Yes
123	1510000578	EWS	1884	376.80	15.50	18.84	0.00	37.68	-	NA	NA	Yes
124	1110006704	SC	1882	376.40	2.00	18.82	0.00	37.64	-	NA	NA	Yes
125	1510000614	UR	1879	375.80	6.00	18.79	0.00	37.58	-	NA	NA	Yes
126	1210000092	UR	1965	393.00	21.50	19.65	1.85	37.45	-	NA	NA	Yes
127	1110004930	SC	1870	374.00	14.50	18.70	0.00	37.40	-	NA	NA	Yes
128	1410000353	EWS	1913	382.60	20.00	19.13	0.87	37.39	-	NA	NA	Yes
129	1210000100	UR	1863	372.60	6.50	18.63	0.00	37.26	-	NA	NA	Yes
130	1510000430	SC	1857	371.40	16.50	18.57	0.00	37.14	-	NA	NA	Yes
131	1510000006	UR	1851	370.20	15.50	18.51	0.00	37.02	-	NA	NA	Yes
132	1110004804	UR	1845	369.00	10.00	18.45	0.00	36.90	-	NA	NA	Yes
133	1110003848	UR	1843	368.60	12.50	18.43	0.00	36.86	-	NA	NA	Yes
134	1410000296	OBC	1842	368.40	11.50	18.42	0.00	36.84	-	NA	NA	Yes
135	1110003136	UR	1841	368.20	4.50	18.41	0.00	36.82	-	NA	NA	Yes
136	1110005062	UR	1839	367.80	14.00	18.39	0.00	36.78	-	NA	NA	Yes
137	1410000139	EWS	1940	388.00	21.50	19.40	2.10	36.70	-	NA	NA	Yes
138	1110002546	UR	1956	391.20	22.00	19.56	2.44	36.68	-	NA	NA	Yes
139	1610000260	OBC	1834	366.80	12.00	18.34	0.00	36.68	-	NA	NA	Yes
140	1310000072	UR	1831	366.20	16.00	18.31	0.00	36.62	-	NA	NA	Yes
141	1410000422	UR	1852	370.40	19.00	18.52	0.48	36.56	-	NA	NA	Yes
142	1510000272	UR	1826	365.20	10.00	18.26	0.00	36.52	-	NA	NA	Yes
143	1310000496	SC	1824	364.80	8.50	18.24	0.00	36.48	-	NA	NA	Yes
144	1610000483	UR	1822	364.40	7.00	18.22	0.00	36.44	-	NA	NA	Yes
145	1510000441	OBC	1840	368.00	19.00	18.40	0.60	36.20	-	NA	NA	Yes

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
146	1110004399	SC	1795	359.00	15.00	17.95	0.00	35.90	-	NA	NA	Yes
147	1110007146	UR	1795	359.00	11.50	17.95	0.00	35.90	-	NA	NA	Yes
148	1610000037	ST	2593	518.60	42.00	25.93	16.07	35.79	-	NA	NA	Yes
149	1410000304	SC	1787	357.40	12.50	17.87	0.00	35.74	-	NA	NA	Yes
150	1110003111	UR	1784	356.80	7.00	17.84	0.00	35.68	-	NA	NA	Yes
151	1110004140	OBC	1784	356.80	12.00	17.84	0.00	35.68	-	NA	NA	Yes
152	1110003547	UR	1821	364.20	19.00	18.21	0.79	35.63	-	NA	NA	Yes
153	1110006925	OBC	1781	356.20	8.50	17.81	0.00	35.62	-	NA	NA	Yes
154	1110006052	UR	1778	355.60	5.00	17.78	0.00	35.56	-	NA	NA	Yes
155	1110003128	UR	1776	355.20	3.00	17.76	0.00	35.52	-	NA	NA	Yes
156	1110004889	OBC	1775	355.00	7.00	17.75	0.00	35.50	-	NA	NA	Yes
157	1110001945	UR	2466	493.20	38.50	24.66	13.84	35.48	-	NA	NA	Yes
158	1110004981	UR	2162	432.40	29.50	21.62	7.88	35.36	-	NA	NA	Yes
159	1610000407	UR	1768	353.60	6.50	17.68	0.00	35.36	-	NA	NA	Yes
160	1110003103	OBC	1767	353.40	12.00	17.67	0.00	35.34	-	NA	NA	Yes
161	1110005706	SC	1765	353.00	6.00	17.65	0.00	35.30	-	NA	NA	Yes
162	1110005398	OBC	1762	352.40	12.00	17.62	0.00	35.24	-	NA	NA	Yes
163	1510000619	UR	1762	352.40	11.00	17.62	0.00	35.24	-	NA	NA	Yes
164	1110003278	SC	1761	352.20	9.50	17.61	0.00	35.22	-	NA	NA	Yes
165	1110006336	ST	1761	352.20	15.50	17.61	0.00	35.22	-	NA	NA	Yes
166	1110002791	SC	1759	351.80	11.50	17.59	0.00	35.18	-	NA	NA	Yes
167	1110003808	SC	1757	351.40	9.00	17.57	0.00	35.14	-	NA	NA	Yes
168	1110003540	UR	1756	351.20	4.00	17.56	0.00	35.12	-	NA	NA	Yes
169	1110003568	SC	1756	351.20	14.50	17.56	0.00	35.12	-	NA	NA	Yes
170	1110005158	OBC	1756	351.20	5.00	17.56	0.00	35.12	-	NA	NA	Yes
171	1110004954	ST	1754	350.80	6.00	17.54	0.00	35.08	-	NA	NA	Yes
172	1110002754	UR	1752	350.40	13.00	17.52	0.00	35.04	-	NA	NA	Yes
173	1310000056	UR	1965	393.00	24.00	19.65	4.35	34.95	-	NA	NA	No
174	1110005288	UR	1733	346.60	9.50	17.33	0.00	34.66	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
175	1510000537	UR	1722	344.40	8.50	17.22	0.00	34.44	-	NA	NA	No
176	1110006031	SC	1718	343.60	1.00	17.18	0.00	34.36	-	NA	NA	No
177	1110006604	UR	2009	401.80	26.00	20.09	5.91	34.27	-	NA	NA	No
178	1110006511	OBC	1709	341.80	13.50	17.09	0.00	34.18	-	NA	NA	No
179	1110004678	UR	1705	341.00	3.50	17.05	0.00	34.10	-	NA	NA	No
180	1110003895	OBC	1697	339.40	15.50	16.97	0.00	33.94	-	NA	NA	No
181	1510000569	UR	1695	339.00	13.00	16.95	0.00	33.90	-	NA	NA	No
182	1110004772	OBC	1946	389.20	24.50	19.46	5.04	33.88	-	NA	NA	No
183	1110005565	UR	1694	338.80	12.50	16.94	0.00	33.88	-	NA	NA	No
184	1510000140	SC	1686	337.20	6.50	16.86	0.00	33.72	-	NA	NA	No
185	1110006777	UR	2122	424.40	30.00	21.22	8.78	33.66	-	NA	NA	No
186	1110002741	UR	1676	335.20	6.50	16.76	0.00	33.52	-	NA	NA	No
187	1410000134	UR	1673	334.60	11.00	16.73	0.00	33.46	-	NA	NA	No
188	1110001758	UR	1670	334.00	5.00	16.70	0.00	33.40	-	NA	NA	No
189	1110006874	EWS	1670	334.00	8.50	16.70	0.00	33.40	-	NA	NA	No
190	1410000166	UR	1668	333.60	11.00	16.68	0.00	33.36	-	NA	NA	No
191	1110003555	UR	1776	355.20	20.00	17.76	2.24	33.28	-	NA	NA	No
192	1510000181	UR	1974	394.80	26.00	19.74	6.26	33.22	-	NA	NA	No
193	1110003981	UR	1740	348.00	19.00	17.40	1.60	33.20	-	NA	NA	No
194	1110006599	UR	1657	331.40	12.50	16.57	0.00	33.14	-	NA	NA	No
195	1310000049	UR	1838	367.60	22.00	18.38	3.62	33.14	-	NA	NA	No
196	1410000222	UR	1688	337.60	17.50	16.88	0.62	33.14	-	NA	NA	No
197	1510000399	UR	1649	329.80	8.50	16.49	0.00	32.98	-	NA	NA	No
198	1110003432	UR	1647	329.40	4.00	16.47	0.00	32.94	-	NA	NA	No
199	1310000360	OBC	1647	329.40	15.00	16.47	0.00	32.94	-	NA	NA	No
200	1110003069	OBC	1636	327.20	15.50	16.36	0.00	32.72	-	NA	NA	No
201	1110005878	SC	1635	327.00	7.00	16.35	0.00	32.70	-	NA	NA	No
202	1110006864	SC	1635	327.00	6.50	16.35	0.00	32.70	-	NA	NA	No
203	1110003409	UR	1631	326.20	5.00	16.31	0.00	32.62	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
204	1110002748	OBC	1630	326.00	12.00	16.30	0.00	32.60	-	NA	NA	No
205	1510000437	UR	1630	326.00	13.00	16.30	0.00	32.60	-	NA	NA	No
206	1110003971	SC	2000	400.00	27.50	20.00	7.50	32.50	-	NA	NA	No
207	1110005821	SC	1625	325.00	16.00	16.25	0.00	32.50	-	NA	NA	No
208	1110005688	OBC	1666	333.20	17.50	16.66	0.84	32.48	-	NA	NA	No
209	1310000407	UR	1622	324.40	5.00	16.22	0.00	32.44	-	NA	NA	No
210	1110003055	UR	1620	324.00	5.00	16.20	0.00	32.40	-	NA	NA	No
211	1210000159	UR	1619	323.80	9.50	16.19	0.00	32.38	-	NA	NA	No
212	1110007255	UR	1928	385.60	25.50	19.28	6.22	32.34	-	NA	NA	No
213	1210000186	SC	1616	323.20	4.50	16.16	0.00	32.32	-	NA	NA	No
214	1310000263	UR	1616	323.20	12.00	16.16	0.00	32.32	-	NA	NA	No
215	1510000085	EWS	1676	335.20	18.00	16.76	1.24	32.28	-	NA	NA	No
216	1410000235	OBC	2009	401.80	28.00	20.09	7.91	32.27	-	NA	NA	No
217	1410000445	OBC	1595	319.00	9.00	15.95	0.00	31.90	-	NA	NA	No
218	1610000303	EWS	2222	444.40	35.00	22.22	12.78	31.66	-	NA	NA	No
219	1110002058	UR	1582	316.40	10.00	15.82	0.00	31.64	-	NA	NA	No
220	1510000286	SC	1588	317.60	16.00	15.88	0.12	31.64	-	NA	NA	No
221	1110007208	SC	1569	313.80	7.50	15.69	0.00	31.38	-	NA	NA	No
222	1110006791	SC	1562	312.40	4.50	15.62	0.00	31.24	-	NA	NA	No
223	1510000391	UR	1546	309.20	5.00	15.46	0.00	30.92	-	NA	NA	No
224	1110004630	UR	1738	347.60	21.50	17.38	4.12	30.64	-	NA	NA	No
225	1410000004	UR	1527	305.40	2.00	15.27	0.00	30.54	-	NA	NA	No
226	1210000096	UR	1523	304.60	9.50	15.23	0.00	30.46	-	NA	NA	No
227	1110005249	SC	1965	393.00	28.50	19.65	8.85	30.45	-	NA	NA	No
228	1310000268	EWS	1714	342.80	21.00	17.14	3.86	30.42	-	NA	NA	No
229	1110002990	OBC	1520	304.00	8.50	15.20	0.00	30.40	-	NA	NA	No
230	1110001896	UR	1678	335.60	20.00	16.78	3.22	30.34	-	NA	NA	No
231	1110005068	UR	1517	303.40	10.00	15.17	0.00	30.34	-	NA	NA	No
232	1110002304	UR	1511	302.20	9.00	15.11	0.00	30.22	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Misatakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candiates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
233	1110004434	UR	1773	354.60	23.00	17.73	5.27	30.19	-	NA	NA	No
234	1110006159	UR	1504	300.80	9.50	15.04	0.00	30.08	-	NA	NA	No
235	1110006552	UR	1784	356.80	23.50	17.84	5.66	30.02	-	NA	NA	No
236	1110006303	UR	1749	349.80	22.50	17.49	5.01	29.97	-	NA	NA	No
237	1110005348	UR	1882	376.40	26.50	18.82	7.68	29.96	-	NA	NA	No
238	1110004397	SC	1494	298.80	10.50	14.94	0.00	29.88	-	NA	NA	No
239	1110003890	SC	1493	298.60	2.50	14.93	0.00	29.86	-	NA	NA	No
240	1110006360	SC	1492	298.40	7.00	14.92	0.00	29.84	-	NA	NA	No
241	1210000022	UR	1478	295.60	8.50	14.78	0.00	29.56	-	NA	NA	No
242	1510000041	UR	1713	342.60	22.00	17.13	4.87	29.39	-	NA	NA	No
243	1410000259	SC	2129	425.80	34.50	21.29	13.21	29.37	-	NA	NA	No
244	1110002454	UR	1468	293.60	9.50	14.68	0.00	29.36	-	NA	NA	No
245	1110002094	OBC	1463	292.60	4.00	14.63	0.00	29.26	-	NA	NA	No
246	1510000431	UR	1462	292.40	11.50	14.62	0.00	29.24	-	NA	NA	No
247	1410000011	UR	1739	347.80	23.00	17.39	5.61	29.17	-	NA	NA	No
248	1210000202	UR	1771	354.20	24.00	17.71	6.29	29.13	-	NA	NA	No
249	1110006950	OBC	1803	360.60	25.00	18.03	6.97	29.09	-	NA	NA	No
250	1110003779	UR	1451	290.20	11.00	14.51	0.00	29.02	-	NA	NA	No
251	1510000628	UR	1566	313.20	18.00	15.66	2.34	28.98	-	NA	NA	No
252	1210000144	SC	1599	319.80	19.00	15.99	3.01	28.97	-	NA	NA	No
253	1110002626	UR	1448	289.60	8.50	14.48	0.00	28.96	-	NA	NA	No
254	1210000138	UR	1747	349.40	23.50	17.47	6.03	28.91	-	NA	NA	No
255	1210000112	UR	1442	288.40	8.00	14.42	0.00	28.84	-	NA	NA	No
256	1310000169	SC	1437	287.40	9.00	14.37	0.00	28.74	-	NA	NA	No
257	1110002011	UR	1430	286.00	12.00	14.30	0.00	28.60	-	NA	NA	No
258	1210000115	UR	1569	313.80	18.50	15.69	2.81	28.57	-	NA	NA	No
259	1110004220	UR	1684	336.80	22.00	16.84	5.16	28.52	-	NA	NA	No
260	1110002480	OBC	1422	284.40	7.00	14.22	0.00	28.44	-	NA	NA	No
261	1110006804	UR	1446	289.20	15.00	14.46	0.54	28.38	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
262	1410000454	UR	1415	283.00	8.50	14.15	0.00	28.30	-	NA	NA	No
263	1610000079	UR	1411	282.20	13.50	14.11	0.00	28.22	-	NA	NA	No
264	1410000326	SC	1403	280.60	12.50	14.03	0.00	28.06	-	NA	NA	No
265	1110005850	OBC	1396	279.20	11.50	13.96	0.00	27.92	-	NA	NA	No
266	1410000007	UR	1426	285.20	15.00	14.26	0.74	27.78	-	NA	NA	No
267	1510000575	UR	1383	276.60	10.50	13.83	0.00	27.66	-	NA	NA	No
268	1110005497	SC	1771	354.20	25.50	17.71	7.79	27.63	-	NA	NA	No
269	1410000433	UR	1380	276.00	12.50	13.80	0.00	27.60	-	NA	NA	No
270	1410000171	OBC	1365	273.00	10.00	13.65	0.00	27.30	-	NA	NA	No
271	1110001942	UR	1357	271.40	4.00	13.57	0.00	27.14	-	NA	NA	No
272	1110005839	SC	1351	270.20	12.00	13.51	0.00	27.02	-	NA	NA	No
273	1110004079	UR	1347	269.40	11.00	13.47	0.00	26.94	-	NA	NA	No
274	1410000355	UR	1347	269.40	6.00	13.47	0.00	26.94	-	NA	NA	No
275	1110004167	SC	1346	269.20	8.50	13.46	0.00	26.92	-	NA	NA	No
276	1110006414	UR	1344	268.80	6.00	13.44	0.00	26.88	-	NA	NA	No
277	1110003502	EWS	1342	268.40	7.50	13.42	0.00	26.84	-	NA	NA	No
278	1110002888	UR	1889	377.80	30.00	18.89	11.11	26.67	-	NA	NA	No
279	1110006431	SC	1326	265.20	10.00	13.26	0.00	26.52	-	NA	NA	No
280	1110005367	OBC	1324	264.80	4.50	13.24	0.00	26.48	-	NA	NA	No
281	1110006206	SC	1322	264.40	9.50	13.22	0.00	26.44	-	NA	NA	No
282	1210000089	OBC	1830	366.00	28.50	18.30	10.20	26.40	-	NA	NA	No
283	1110001850	OBC	1513	302.60	19.00	15.13	3.87	26.39	-	NA	NA	No
284	1110003774	UR	1527	305.40	19.50	15.27	4.23	26.31	-	NA	NA	No
285	1110006721	UR	1311	262.20	8.00	13.11	0.00	26.22	-	NA	NA	No
286	1510000565	UR	1486	297.20	18.50	14.86	3.64	26.08	-	NA	NA	No
287	1610000112	EWS	1296	259.20	8.50	12.96	0.00	25.92	-	NA	NA	No
288	1110006880	OBC	1294	258.80	6.50	12.94	0.00	25.88	-	NA	NA	No
289	1610000056	OBC	2194	438.80	40.00	21.94	18.06	25.82	-	NA	NA	No
290	1110002322	OBC	1290	258.00	5.00	12.90	0.00	25.80	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Misatakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candiates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
291	131000029	UR	1658	331.60	24.00	16.58	7.42	25.74	-	NA	NA	No
292	1110005641	UR	1285	257.00	2.50	12.85	0.00	25.70	-	NA	NA	No
293	1410000071	UR	1284	256.80	6.50	12.84	0.00	25.68	-	NA	NA	No
294	1110001904	UR	1717	343.40	26.00	17.17	8.83	25.51	-	NA	NA	No
295	1110005011	UR	1583	316.60	22.00	15.83	6.17	25.49	-	NA	NA	No
296	1210000085	UR	1269	253.80	1.00	12.69	0.00	25.38	-	NA	NA	No
297	1510000154	UR	1260	252.00	7.00	12.60	0.00	25.20	-	NA	NA	No
298	1610000451	UR	1488	297.60	19.50	14.88	4.62	25.14	-	NA	NA	No
299	1110005600	SC	1350	270.00	15.50	13.50	2.00	25.00	-	NA	NA	No
300	1110003673	OBC	1747	349.40	27.50	17.47	10.03	24.91	-	NA	NA	No
301	1310000034	UR	1244	248.80	9.50	12.44	0.00	24.88	-	NA	NA	No
302	1110005595	UR	1578	315.60	22.50	15.78	6.72	24.84	-	NA	NA	No
303	1110005841	UR	1233	246.60	4.00	12.33	0.00	24.66	-	NA	NA	No
304	1110007287	OBC	1572	314.40	22.50	15.72	6.78	24.66	-	NA	NA	No
305	1110004249	OBC	1222	244.40	2.00	12.22	0.00	24.44	-	NA	NA	No
306	1410000182	SC	2430	486.00	48.50	24.30	24.20	24.40	-	NA	NA	No
307	1210000051	SC	1216	243.20	7.00	12.16	0.00	24.32	-	NA	NA	No
308	1310000231	UR	1216	243.20	7.50	12.16	0.00	24.32	-	NA	NA	No
309	1110002850	UR	1859	371.80	31.50	18.59	12.91	24.27	-	NA	NA	No
310	1110004116	SC	1436	287.20	19.00	14.36	4.64	24.08	-	NA	NA	No
311	1510000240	OBC	1195	239.00	10.00	11.95	0.00	23.90	-	NA	NA	No
312	1510000449	UR	1193	238.60	4.50	11.93	0.00	23.86	-	NA	NA	No
313	1110004201	OBC	1187	237.40	2.50	11.87	0.00	23.74	-	NA	NA	No
314	1310000159	UR	1258	251.60	14.00	12.58	1.42	23.74	-	NA	NA	No
315	1410000361	UR	1183	236.60	4.50	11.83	0.00	23.66	-	NA	NA	No
316	1510000334	OBC	1174	234.80	5.50	11.74	0.00	23.48	-	NA	NA	No
317	1110002688	EWS	1173	234.60	11.00	11.73	0.00	23.46	-	NA	NA	No
318	1610000106	UR	1312	262.40	16.00	13.12	2.88	23.36	-	NA	NA	No
319	1610000264	UR	1389	277.80	18.50	13.89	4.61	23.17	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
320	1110006567	UR	2086	417.20	39.50	20.86	18.64	23.08	-	NA	NA	No
321	1110006316	UR	1218	243.60	13.50	12.18	1.32	23.04	-	NA	NA	No
322	1110006898	SC	1234	246.80	14.00	12.34	1.66	23.02	-	NA	NA	No
323	1110001982	UR	1579	315.80	24.50	15.79	8.71	22.87	-	NA	NA	No
324	1610000088	UR	2226	445.20	44.00	22.26	21.74	22.78	-	NA	NA	No
325	1110001917	OBC	1309	261.80	16.50	13.09	3.41	22.77	-	NA	NA	No
326	1110002472	UR	1904	380.80	34.50	19.04	15.46	22.62	-	NA	NA	No
327	1110003766	OBC	1124	224.80	8.50	11.24	0.00	22.48	-	NA	NA	No
328	1110001721	UR-PWD	1119	223.80	6.50	11.19	0.00	22.38	-	NA	NA	No
329	1110001861	OBC	1521	304.20	23.50	15.21	8.29	22.13	-	NA	NA	No
330	1310000446	SC	1334	266.80	18.00	13.34	4.66	22.02	-	NA	NA	No
331	1110002532	UR	1829	365.80	33.50	18.29	15.21	21.37	-	NA	NA	No
332	1110005239	UR	1528	305.60	24.50	15.28	9.22	21.34	-	NA	NA	No
333	1510000294	OBC	1067	213.40	6.00	10.67	0.00	21.34	-	NA	NA	No
334	1110007119	SC	1064	212.80	7.00	10.64	0.00	21.28	-	NA	NA	No
335	1110003258	UR	1742	348.40	31.00	17.42	13.58	21.26	-	NA	NA	No
336	1410000294	EWS	1039	207.80	9.50	10.39	0.00	20.78	-	NA	NA	No
337	1110003928	SC	1720	344.00	31.00	17.20	13.80	20.60	-	NA	NA	No
338	1510000315	UR	1028	205.60	5.00	10.28	0.00	20.56	-	NA	NA	No
339	1110005632	OBC	1133	226.60	13.50	11.33	2.17	20.49	-	NA	NA	No
340	1110004243	UR	2099	419.80	42.50	20.99	21.51	20.47	-	NA	NA	No
341	1110002881	SC	1865	373.00	35.50	18.65	16.85	20.45	-	NA	NA	No
342	1310000381	UR	1713	342.60	31.00	17.13	13.87	20.39	-	NA	NA	No
343	1110006586	UR	1446	289.20	23.00	14.46	8.54	20.38	-	NA	NA	No
344	1310000229	UR	1442	288.40	23.00	14.42	8.58	20.26	-	NA	NA	No
345	1510000145	OBC	1270	254.00	18.00	12.70	5.30	20.10	-	NA	NA	No
346	1110002773	SC	1001	200.20	5.00	10.01	0.00	20.02	-	NA	NA	No
347	1610000445	UR	1165	233.00	15.00	11.65	3.35	19.95	-	NA	NA	No
348	1110001764	UR	1297	259.40	19.00	12.97	6.03	19.91	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
349	1110004882	UR	991	198.20	6.00	9.91	0.00	19.82	-	NA	NA	No
350	1110004931	SC	1144	228.80	14.50	11.44	3.06	19.82	-	NA	NA	No
351	1110005987	SC	1242	248.40	17.50	12.42	5.08	19.76	-	NA	NA	No
352	1510000687	OBC	1192	238.40	16.00	11.92	4.08	19.76	-	NA	NA	No
353	1310000461	UR	1355	271.00	21.00	13.55	7.45	19.65	-	NA	NA	No
354	1110007176	OBC	1188	237.60	16.00	11.88	4.12	19.64	-	NA	NA	No
355	1110002251	UR	1268	253.60	18.50	12.68	5.82	19.54	-	NA	NA	No
356	1610000096	UR	973	194.60	9.00	9.73	0.00	19.46	-	NA	NA	No
357	1110002327	UR	1030	206.00	11.50	10.30	1.20	19.40	-	NA	NA	No
358	1110003417	UR	1395	279.00	22.50	13.95	8.55	19.35	-	NA	NA	No
359	1110006544	UR	1475	295.00	25.00	14.75	10.25	19.25	-	NA	NA	No
360	1110005667	UR	961	192.20	3.50	9.61	0.00	19.22	-	NA	NA	No
361	1110001869	OBC	953	190.60	5.00	9.53	0.00	19.06	-	NA	NA	No
362	1210000191	UR	1568	313.60	28.00	15.68	12.32	19.04	-	NA	NA	No
363	1610000345	SC	1033	206.60	12.00	10.33	1.67	18.99	-	NA	NA	No
364	1110006314	SC	1096	219.20	14.00	10.96	3.04	18.88	-	NA	NA	No
365	1310000148	OBC	1262	252.40	19.00	12.62	6.38	18.86	-	NA	NA	No
366	1310000414	SC	959	191.80	10.00	9.59	0.41	18.77	-	NA	NA	No
367	1510000670	UR	1890	378.00	38.00	18.90	19.10	18.70	-	NA	NA	No
368	1110006954	OBC	1505	301.00	26.50	15.05	11.45	18.65	-	NA	NA	No
369	1110006918	UR	1197	239.40	17.50	11.97	5.53	18.41	-	NA	NA	No
370	1110004511	SC	919	183.80	5.50	9.19	0.00	18.38	-	NA	NA	No
371	1110004490	OBC	1056	211.20	13.50	10.56	2.94	18.18	-	NA	NA	No
372	1110003119	SC	906	181.20	1.50	9.06	0.00	18.12	-	NA	NA	No
373	1510000661	SC	1087	217.40	14.50	10.87	3.63	18.11	-	NA	NA	No
374	1110002975	OBC	1500	300.00	27.00	15.00	12.00	18.00	-	NA	NA	No
375	1110005466	UR	894	178.80	3.00	8.94	0.00	17.88	-	NA	NA	No
376	1510000160	UR	1462	292.40	26.00	14.62	11.38	17.86	-	NA	NA	No
377	1410000212	UR	1256	251.20	20.00	12.56	7.44	17.68	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
378	1110006133	SC	1539	307.80	28.50	15.39	13.11	17.67	-	NA	NA	No
379	1410000002	UR	1037	207.40	13.50	10.37	3.13	17.61	-	NA	NA	No
380	1610000130	UR	1216	243.20	19.00	12.16	6.84	17.48	-	NA	NA	No
381	1110003567	UR	1515	303.00	28.00	15.15	12.85	17.45	-	NA	NA	No
382	1510000386	OBC	1181	236.20	18.00	11.81	6.19	17.43	-	NA	NA	No
383	1110005649	OBC	1597	319.40	30.50	15.97	14.53	17.41	-	NA	NA	No
384	1410000429	OBC	879	175.80	9.00	8.79	0.21	17.37	-	NA	NA	No
385	1110006408	SC	868	173.60	8.00	8.68	0.00	17.36	-	NA	NA	No
386	1110001895	SC	1294	258.80	21.50	12.94	8.56	17.32	-	NA	NA	No
387	1610000202	UR	1342	268.40	23.00	13.42	9.58	17.26	-	NA	NA	No
388	1110001889	UR	888	177.60	9.50	8.88	0.62	17.14	-	NA	NA	No
389	1410000185	SC	1470	294.00	27.00	14.70	12.30	17.10	-	NA	NA	No
390	1110003199	UR	1003	200.60	13.00	10.03	2.97	17.09	-	NA	NA	No
391	1110004263	SC	853	170.60	8.50	8.53	0.00	17.06	-	NA	NA	No
392	1110006666	OBC	839	167.80	7.00	8.39	0.00	16.78	-	NA	NA	No
393	1110006444	SC	1307	261.40	22.50	13.07	9.43	16.71	-	NA	NA	No
394	1610000379	UR	1152	230.40	18.00	11.52	6.48	16.56	-	NA	NA	No
395	1110003678	UR	1584	316.80	31.00	15.84	15.16	16.52	-	NA	NA	No
396	1410000399	SC	1677	335.40	34.00	16.77	17.23	16.31	-	NA	NA	No
397	1110004729	UR	1808	361.60	38.00	18.08	19.92	16.24	-	NA	NA	No
398	1110004510	OBC	1257	251.40	21.50	12.57	8.93	16.21	-	NA	NA	No
399	1110006446	SC	1084	216.80	16.50	10.84	5.66	16.02	-	NA	NA	No
400	1310000100	UR	793	158.60	8.00	7.93	0.07	15.79	-	NA	NA	No
401	1510000152	UR	1509	301.80	29.50	15.09	14.41	15.77	-	NA	NA	No
402	1110004026	UR	1170	234.00	19.50	11.70	7.80	15.60	-	NA	NA	No
403	1110001987	OBC	1482	296.40	29.00	14.82	14.18	15.46	-	NA	NA	No
404	1610000204	UR	932	186.40	12.50	9.32	3.18	15.46	-	NA	NA	No
405	1110002575	UR	1342	268.40	25.00	13.42	11.58	15.26	-	NA	NA	No
406	1510000086	UR	1774	354.80	38.00	17.74	20.26	15.22	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
407	1310000357	SC	1757	351.40	37.50	17.57	19.93	15.21	-	NA	NA	No
408	1410000195	SC	1339	267.80	25.00	13.39	11.61	15.17	-	NA	NA	No
409	1110006219	SC	1751	350.20	37.50	17.51	19.99	15.03	-	NA	NA	No
410	1510000206	OBC	1571	314.20	32.50	15.71	16.79	14.63	-	NA	NA	No
411	1110004982	OBC	1066	213.20	17.50	10.66	6.84	14.48	-	NA	NA	No
412	1610000456	OBC	1375	275.00	27.00	13.75	13.25	14.25	-	NA	NA	No
413	1510000484	OBC	1371	274.20	27.00	13.71	13.29	14.13	-	NA	NA	No
414	1410000111	UR	1304	260.80	25.00	13.04	11.96	14.12	-	NA	NA	No
415	1110002293	OBC	1267	253.40	24.00	12.67	11.33	14.01	-	NA	NA	No
416	1110001627	OBC-PWD	1152	230.40	21.00	11.52	9.48	13.56	-	NA	NA	No
417	1110001879	UR	1641	328.20	36.00	16.41	19.59	13.23	-	NA	NA	No
418	1110006191	UR	1340	268.00	27.00	13.40	13.60	13.20	-	NA	NA	No
419	1110002012	UR	1219	243.80	23.50	12.19	11.31	13.07	-	NA	NA	No
420	1410000378	SC	890	178.00	14.00	8.90	5.10	12.70	-	NA	NA	No
421	1110005060	OBC	1255	251.00	25.00	12.55	12.45	12.65	-	NA	NA	No
422	1610000326	UR	1166	233.20	22.50	11.66	10.84	12.48	-	NA	NA	No
423	1110004340	SC	609	121.80	4.50	6.09	0.00	12.18	-	NA	NA	No
424	1510000665	OBC	1000	200.00	18.00	10.00	8.00	12.00	-	NA	NA	No
425	1310000480	UR	1280	256.00	26.50	12.80	13.70	11.90	-	NA	NA	No
426	1110002857	EWS	1427	285.40	31.00	14.27	16.73	11.81	-	NA	NA	No
427	1510000290	OBC	724	144.80	10.00	7.24	2.76	11.72	-	NA	NA	No
428	1110001724	UR-PWD	1507	301.40	33.50	15.07	18.43	11.71	-	NA	NA	No
429	1110003029	SC	1414	282.80	31.00	14.14	16.86	11.42	-	NA	NA	No
430	1110006025	UR	1591	318.20	36.50	15.91	20.59	11.23	-	NA	NA	No
431	1110003996	UR	920	184.00	16.50	9.20	7.30	11.10	-	NA	NA	No
432	1610000394	UR	1852	370.40	44.50	18.52	25.98	11.06	-	NA	NA	No
433	1110006412	SC	1201	240.20	25.00	12.01	12.99	11.03	-	NA	NA	No
434	1110005519	SC	1250	250.00	26.50	12.50	14.00	11.00	-	NA	NA	No
435	1110005930	UR	1232	246.40	26.00	12.32	13.68	10.96	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
436	1110002870	SC	1318	263.60	29.00	13.18	15.82	10.54	-	NA	NA	No
437	1310000117	UR	520	104.00	4.00	5.20	0.00	10.40	-	NA	NA	No
438	1110005242	OBC	1139	227.80	24.00	11.39	12.61	10.17	-	NA	NA	No
439	1210000141	UR	1147	229.40	24.50	11.47	13.03	9.91	-	NA	NA	No
440	1110002314	UR	1141	228.20	24.50	11.41	13.09	9.73	-	NA	NA	No
441	1310000278	SC	1217	243.40	27.00	12.17	14.83	9.51	-	NA	NA	No
442	1310000483	UR	1699	339.80	41.50	16.99	24.51	9.47	-	NA	NA	No
443	1410000396	UR	946	189.20	19.00	9.46	9.54	9.38	-	NA	NA	No
444	1610000443	UR	1407	281.40	33.00	14.07	18.93	9.21	-	NA	NA	No
445	1110003911	UR	689	137.80	11.50	6.89	4.61	9.17	-	NA	NA	No
446	1110004445	SC	2321	464.20	60.50	23.21	37.29	9.13	-	NA	NA	No
447	1110006286	OBC	1135	227.00	25.00	11.35	13.65	9.05	-	NA	NA	No
448	1610000031	OBC	915	183.00	19.00	9.15	9.85	8.45	-	NA	NA	No
449	1110007329	UR	1310	262.00	31.00	13.10	17.90	8.30	-	NA	NA	No
450	1510000241	UR	1112	222.40	25.50	11.12	14.38	7.86	-	NA	NA	No
451	1110006371	UR	1283	256.60	31.00	12.83	18.17	7.49	-	NA	NA	No
452	1110003765	OBC	2429	485.80	65.50	24.29	41.21	7.37	-	NA	NA	No
453	1510000208	SC	2512	502.40	68.00	25.12	42.88	7.36	-	NA	NA	No
454	1510000381	UR	1210	242.00	29.00	12.10	16.90	7.30	-	NA	NA	No
455	1110005306	OBC	1323	264.60	32.50	13.23	19.27	7.19	-	NA	NA	No
456	1210000195	EWS	1061	212.20	25.00	10.61	14.39	6.83	-	NA	NA	No
457	1510000051	OBC	1110	222.00	27.00	11.10	15.90	6.30	-	NA	NA	No
458	1110002562	SC	1476	295.20	38.00	14.76	23.24	6.28	-	NA	NA	No
459	1110005525	OBC	1036	207.20	25.00	10.36	14.64	6.08	-	NA	NA	No
460	1110006940	SC	1438	287.60	37.50	14.38	23.12	5.64	-	NA	NA	No
461	1410000147	SC	1452	290.40	38.00	14.52	23.48	5.56	-	NA	NA	No
462	1110005790	SC	850	170.00	20.00	8.50	11.50	5.50	-	NA	NA	No
463	1110004558	OBC	2092	418.40	57.50	20.92	36.58	5.26	-	NA	NA	No
464	1410000105	UR	967	193.40	24.00	9.67	14.33	5.01	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
465	1110006486	OBC	1191	238.20	31.00	11.91	19.09	4.73	-	NA	NA	No
466	1610000388	UR	1735	347.00	47.50	17.35	30.15	4.55	-	NA	NA	No
467	1110007151	SC	1279	255.80	34.00	12.79	21.21	4.37	-	NA	NA	No
468	1110003256	UR	762	152.40	18.50	7.62	10.88	4.36	-	NA	NA	No
469	1110003032	SC	1759	351.80	48.50	17.59	30.91	4.27	-	NA	NA	No
470	1110005716	SC	1507	301.40	41.00	15.07	25.93	4.21	-	NA	NA	No
471	1510000164	SC	909	181.80	23.50	9.09	14.41	3.77	-	NA	NA	No
472	1110005638	UR	1239	247.80	33.50	12.39	21.11	3.67	-	NA	NA	No
473	1110002967	SC	749	149.80	19.00	7.49	11.51	3.47	-	NA	NA	No
474	1310000409	OBC	1709	341.80	48.00	17.09	30.91	3.27	-	NA	NA	No
475	1110004250	UR	1418	283.60	39.50	14.18	25.32	3.04	-	NA	NA	No
476	1110005112	SC	1694	338.80	48.50	16.94	31.56	2.32	-	NA	NA	No
477	1110007115	UR	699	139.80	19.00	6.99	12.01	1.97	-	NA	NA	No
478	1110003751	UR	1288	257.60	37.00	12.88	24.12	1.64	-	NA	NA	No
479	1610000274	OBC	987	197.40	28.00	9.87	18.13	1.61	-	NA	NA	No
480	1110006661	OBC	1140	228.00	33.50	11.40	22.10	0.70	-	NA	NA	No
481	1110006718	OBC	859	171.80	25.50	8.59	16.91	0.27	-	NA	NA	No
482	1110002373	SC	1142	228.40	34.00	11.42	22.58	0.26	-	NA	NA	No
483	1110001976	UR	1322	264.40	39.50	13.22	26.28	0.16	-	NA	NA	No
484	1610000073	OBC	1787	357.40	53.50	17.87	35.63	0.11	-	NA	NA	No
485	1610000166	UR	1134	226.80	35.00	11.34	23.66	-0.98	-	NA	NA	No
486	1110004004	UR	970	194.00	30.50	9.70	20.80	-1.40	-	NA	NA	No
487	1410000231	SC	983	196.60	31.50	9.83	21.67	-2.01	-	NA	NA	No
488	1310000211	UR	1811	362.20	58.00	18.11	39.89	-3.67	-	NA	NA	No
489	1110006317	SC	1318	263.60	43.50	13.18	30.32	-3.96	-	NA	NA	No
490	1510000371	UR	1259	251.80	42.00	12.59	29.41	-4.23	-	NA	NA	No
491	1110005646	UR	1370	274.00	46.00	13.70	32.30	-4.90	-	NA	NA	No
492	1110003760	UR	1051	210.20	37.50	10.51	26.99	-5.97	-	NA	NA	No
493	1410000242	OBC	1697	339.40	57.00	16.97	40.03	-6.09	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
494	1110006110	UR	1376	275.20	47.50	13.76	33.74	-6.22	-	NA	NA	No
495	1110004274	EWS	1028	205.60	37.50	10.28	27.22	-6.66	-	NA	NA	No
496	1410000117	UR	1240	248.00	44.00	12.40	31.60	-6.80	-	NA	NA	No
497	1110005675	OBC	1573	314.60	54.50	15.73	38.77	-7.31	-	NA	NA	No
498	1110002412	EWS	1335	267.00	48.00	13.35	34.65	-7.95	-	NA	NA	No
499	1110005549	SC	1326	265.20	48.00	13.26	34.74	-8.22	-	NA	NA	No
500	1310000036	UR	1112	222.40	42.00	11.12	30.88	-8.64	-	NA	NA	No
501	1610000152	OBC	1922	384.40	66.50	19.22	47.28	-8.84	-	NA	NA	No
502	1110003382	OBC	1020	204.00	39.50	10.20	29.30	-8.90	-	NA	NA	No
503	1110007324	UR	1014	202.80	40.00	10.14	29.86	-9.58	-	NA	NA	No
504	1510000686	OBC	1027	205.40	40.50	10.27	30.23	-9.69	-	NA	NA	No
505	1110006571	OBC	1259	251.80	47.50	12.59	34.91	-9.73	-	NA	NA	No
506	1410000421	OBC	1110	222.00	43.50	11.10	32.40	-10.20	-	NA	NA	No
507	1110004192	UR	1705	341.00	61.50	17.05	44.45	-10.35	-	NA	NA	No
508	1110002677	UR	1224	244.80	48.50	12.24	36.26	-11.78	-	NA	NA	No
509	1310000479	SC	1265	253.00	51.00	12.65	38.35	-13.05	-	NA	NA	No
510	1110005402	SC	1801	360.20	68.00	18.01	49.99	-13.97	-	NA	NA	No
511	1110004900	SC	1122	224.40	48.00	11.22	36.78	-14.34	-	NA	NA	No
512	1410000085	UR	1384	276.80	56.00	13.84	42.16	-14.48	-	NA	NA	No
513	1410000087	UR	1134	226.80	49.00	11.34	37.66	-14.98	-	NA	NA	No
514	1110006278	OBC	999	199.80	45.00	9.99	35.01	-15.03	-	NA	NA	No
515	1110002863	UR	1545	309.00	61.50	15.45	46.05	-15.15	-	NA	NA	No
516	1110007217	UR	1676	335.20	65.50	16.76	48.74	-15.22	-	NA	NA	No
517	1110002103	SC	1215	243.00	53.00	12.15	40.85	-16.55	-	NA	NA	No
518	1110002605	UR	898	179.60	43.50	8.98	34.52	-16.56	-	NA	NA	No
519	1310000447	SC	854	170.80	43.00	8.54	34.46	-17.38	-	NA	NA	No
520	1110005298	UR	1420	284.00	61.00	14.20	46.80	-18.40	-	NA	NA	No
521	1510000487	UR	1191	238.20	54.50	11.91	42.59	-18.77	-	NA	NA	No
522	1110003820	SC	2030	406.00	80.00	20.30	59.70	-19.10	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
523	1110004359	SC	1480	296.00	63.50	14.80	48.70	-19.10	-	NA	NA	No
524	1110002578	UR	995	199.00	51.00	9.95	41.05	-21.15	-	NA	NA	No
525	1110005124	SC	1028	205.60	54.00	10.28	43.72	-23.16	-	NA	NA	No
526	1510000464	OBC	1005	201.00	53.50	10.05	43.45	-23.35	-	NA	NA	No
527	1110005337	SC	1937	387.40	84.00	19.37	64.63	-25.89	-	NA	NA	No
528	1410000207	OBC	1228	245.60	63.00	12.28	50.72	-26.16	-	NA	NA	No
529	1110007054	UR	1067	213.40	58.50	10.67	47.83	-26.49	-	NA	NA	No
530	1110004896	UR	1842	368.40	82.00	18.42	63.58	-26.74	-	NA	NA	No
531	1110002527	UR	1411	282.20	70.00	14.11	55.89	-27.67	-	NA	NA	No
532	1410000131	UR	1010	202.00	58.50	10.10	48.40	-28.20	-	NA	NA	No
533	1110003507	UR	1221	244.20	65.50	12.21	53.29	-28.87	-	NA	NA	No
534	1110003198	UR	1253	250.60	67.50	12.53	54.97	-29.91	-	NA	NA	No
535	1110003727	OBC	1565	313.00	77.00	15.65	61.35	-30.05	-	NA	NA	No
536	1310000174	SC	1230	246.00	67.50	12.30	55.20	-30.60	-	NA	NA	No
537	1110003114	OBC	1067	213.40	64.00	10.67	53.33	-31.99	-	NA	NA	No
538	1110003935	SC	1313	262.60	73.00	13.13	59.87	-33.61	-	NA	NA	No
539	1510000250	OBC	1464	292.80	78.00	14.64	63.36	-34.08	-	NA	NA	No
540	1110007235	OBC	1148	229.60	70.50	11.48	59.02	-36.06	-	NA	NA	No
541	1110003381	SC	1415	283.00	80.00	14.15	65.85	-37.55	-	NA	NA	No
542	1110004097	OBC	858	171.60	65.00	8.58	56.42	-39.26	-	NA	NA	No
543	1110004581	OBC	1226	245.20	76.50	12.26	64.24	-39.72	-	NA	NA	No
544	1110007216	OBC	1135	227.00	78.50	11.35	67.15	-44.45	-	NA	NA	No
545	1510000216	SC	1161	232.20	83.00	11.61	71.39	-48.17	-	NA	NA	No
546	1510000692	UR	1783	356.60	102.00	17.83	84.17	-48.51	-	NA	NA	No
547	1110003718	OBC	1680	336.00	99.50	16.80	82.70	-49.10	-	NA	NA	No
548	1610000251	UR	1497	299.40	96.00	14.97	81.03	-51.09	-	NA	NA	No
549	1310000326	SC	1176	235.20	89.50	11.76	77.74	-54.22	-	NA	NA	No
550	1510000563	OBC	1721	344.20	111.00	17.21	93.79	-59.37	-	NA	NA	No
551	1610000100	UR	1258	251.60	99.50	12.58	86.92	-61.76	-	NA	NA	No

CSIR-Indian Institute of Chemical Biology

Annexure - I

Result of Computer Type Test - held during the period from 06/05/2024 to 10/05/2024

SL. No.	Roll No.	Category	Total Strokes Typed	Words Typed	Mistakes	Ignorable Mistakes (5%) - For all candidates	Admissible Mistakes - Considering Ignorable Mistakes 5% for all candidates	Speed (W.P.M) - Considering 5% Ignorable Mistakes for all candidates	Ignorable Mistakes (7%) for EXS Candidates	Admissible Mistakes - Considering Ignorable Mistakes (7%) for EXS candidates	Speed (W.P.M) Considering ignorable mistake 7% for EXS candidates	Whether Qualified in Computer Type Test
552	1110005437	UR	1796	359.20	120.50	17.96	102.54	-66.62	-	NA	NA	No
553	1210000084	UR	2026	405.20	171.00	20.26	150.74	-110.22	-	NA	NA	No
554	1110004435	UR	813	162.60	140.00	8.13	131.87	-115.61	-	NA	NA	No
555	1510000626	UR	2436	487.20	189.00	24.36	164.64	-115.92	-	NA	NA	No
556	1110001812	UR	1300	260.00	168.50	13.00	155.50	-129.50	-	NA	NA	No
557	1210000101	UR	1264	252.80	172.00	12.64	159.36	-134.08	-	NA	NA	No
558	1110001903	UR	1290	258.00	248.00	12.90	235.10	-209.30	-	NA	NA	No
559	1110002877	UR	1904	380.80	331.50	19.04	312.46	-274.38	-	NA	NA	No
560	1110004684	UR-EXS	1512	302.40	24.00	15.12	8.88	21.36	21.17	2.83	27.41	No
561	1110006240	OBC-EXS	1202	240.40	10.00	12.02	0.00	24.04	16.83	0.00	24.04	No
562	1110006765	UR-EXS	903	180.60	9.00	9.03	0.00	18.06	12.64	0.00	18.06	No
563	1110001989	UR-EXS	744	148.80	22.00	7.44	14.56	0.32	10.42	11.58	3.30	No
564	1110006068	UR-EXS	1686	337.20	70.50	16.86	53.64	-19.92	23.60	46.90	-13.18	No

Result of Stenography Test - held during the period from 11/05/2024 to 12/05/2024

SL.No.	Roll No.	Category	No. of Words in the Master Passage	Full Mistakes	Half Mistakes	Total Misakes (Full Mistakes+ Half Mistakes/2)	Percentage of Errors (Rounded off to two decimal places)	Whether Qualified in Stenography Test
1	1110001421	UR	800	8	6	11.00	1.38	Yes
2	1110000076	UR	800	14	7	17.50	2.19	Yes
3	1110000729	UR	800	15	8	19.00	2.38	Yes
4	1110001318	UR	800	17	4	19.00	2.38	Yes
5	1110000812	OBC	800	21	4.5	23.25	2.91	Yes
6	1110001165	UR	800	18	22	29.00	3.63	Yes
7	1110000493	UR	800	26	9	30.50	3.81	Yes
8	1110001062	UR	800	34	9	38.50	4.81	Yes
9	1110000454	UR	800	37	5	39.50	4.94	Yes
10	1110000789	UR	800	36	19	45.50	5.69	Yes
11	1110001297	UR	800	37	18	46.00	5.75	Yes
12	1110000923	UR	800	41	13	47.50	5.94	Yes
13	1110000171	UR	800	38	28	52.00	6.50	Yes
14	1110001429	UR	800	47	11	52.50	6.56	Yes
15	1110000996	UR	800	48	12	54.00	6.75	Yes
16	1110001513	UR	800	51	6	54.00	6.75	Yes
17	1110000937	EWS	800	45	19	54.50	6.81	Yes
18	1110001122	UR	800	47	16	55.00	6.88	Yes
19	1110000752	UR	800	52	14	59.00	7.38	No
20	1110000129	UR	800	54	12	60.00	7.50	No
21	1110000997	UR	800	59	5	61.50	7.69	No
22	1110000656	UR	800	46	40	66.00	8.25	No
23	1110001230	UR	800	59	16	67.00	8.38	No
24	1110001416	UR	800	59	18	68.00	8.50	No

Result of Stenography Test - held during the period from 11/05/2024 to 12/05/2024

SL.No.	Roll No.	Category	No. of Words in the Master Passage	Full Mistakes	Half Mistakes	Total Misakes (Full Mistakes+ Half Mistakes/2)	Percentage of Errors (Rounded off to two decimal places)	Whether Qualified in Stenography Test
25	1110001449	UR	800	67	4	69.00	8.63	No
26	1110000195	UR	800	58	12	64.00	8.75	No
27	1110000223	UR	800	63	14	70.00	8.75	No
28	1110000430	UR	800	63	18	72.00	9.00	No
29	1110000611	UR	800	71	9	75.50	9.44	No
30	1110000822	UR	800	61	29	75.50	9.44	No
31	1110001314	UR	800	63	28	77.00	9.63	No
32	1110000552	UR	800	63	30	78.00	9.75	No
33	1110000714	UR	800	65	36	83.00	10.38	No
34	1110001021	UR	800	80	12	86.00	10.75	No
35	1110000900	UR	800	84	14	91.00	11.38	No
36	1110000068	UR	800	67	49	91.50	11.44	No
37	1110001159	OBC	800	73	38	92.00	11.50	No
38	1110001056	OBC	800	91	8	95.00	11.88	No
39	1110000368	UR	800	91	14	98.00	12.25	No
40	1110000716	UR	800	95	7	98.50	12.31	No
41	1110000236	OBC	800	98	6	101.00	12.63	No
42	1110000495	UR	800	84	34	101.00	12.63	No
43	1110001101	UR	800	92	22	103.00	12.88	No
44	1110001573	UR	800	97	16	105.00	13.13	No
45	1110000731	UR	800	100	14	107.00	13.38	No
46	1110001575	OBC	800	108	11	113.50	14.19	No
47	1110000211	OBC	800	98	17	106.50	14.38	No
48	1110000570	UR	800	110	12	116.00	14.50	No
49	1110001517	UR	800	105	22	116.00	14.50	No

Result of Stenography Test - held during the period from 11/05/2024 to 12/05/2024

SL.No.	Roll No.	Category	No. of Words in the Master Passage	Full Mistakes	Half Mistakes	Total Misakes (Full Mistakes+ Half Mistakes/2)	Percentage of Errors (Rounded off to two decimal places)	Whether Qualified in Stenography Test
50	1110000361	UR	800	115	12	121.00	15.13	No
51	1110001075	UR	800	110	22	121.00	15.13	No
52	1110000985	UR	800	123	10	128.00	16.00	No
53	1110000512	UR	800	124	14	131.00	16.38	No
54	1110001271	SC	800	108	46	131.00	16.38	No
55	1110000397	UR	800	132	7	135.50	16.94	No
56	1110000578	UR	800	116	40	136.00	17.00	No
57	1110000704	UR	800	131	10	136.00	17.00	No
58	1110000574	UR	800	134	16	142.00	17.75	No
59	1110000169	UR	800	143	6	146.00	18.25	No
60	1110000082	UR	800	138	18	147.00	18.38	No
61	1110000203	UR	800	143	4	145.00	18.38	No
62	1110001394	UR	800	143	8	147.00	18.38	No
63	1110000265	UR	800	134	28	148.00	18.50	No
64	1110001197	UR	800	140	17	148.50	18.56	No
65	1110000477	UR	800	151	14	158.00	19.75	No
66	1110000902	OBC	800	151	33	167.50	20.94	No
67	1110000254	UR	800	167	11	172.50	21.56	No
68	1110000226	OBC	800	170	8	174.00	21.75	No
69	1110000877	UR	800	170	8	174.00	21.75	No
70	1110000851	UR	800	157	44	179.00	22.38	No
71	1110000234	UR	800	179	8	183.00	22.88	No
72	1110000293	SC	800	181	6	184.00	23.00	No
73	1110000726	UR	800	178	14	185.00	23.13	No
74	1110000272	UR	800	156	59	185.50	23.19	No

Result of Stenography Test - held during the period from 11/05/2024 to 12/05/2024

SL.No.	Roll No.	Category	No. of Words in the Master Passage	Full Mistakes	Half Mistakes	Total Misakes (Full Mistakes+ Half Mistakes/2)	Percentage of Errors (Rounded off to two decimal places)	Whether Qualified in Stenography Test
75	1110000064	OBC	800	185	8	189.00	23.63	No
76	1110000187	OBC	800	167	25	179.50	24.00	No
77	1110000891	SC	800	191	28	205.00	25.63	No
78	1110000396	SC	800	226	9	230.50	28.81	No
79	1110000148	UR	800	224	16	232.00	29.00	No
80	1110001184	OBC	800	228	12	234.00	29.25	No
81	1110000811	UR	800	218	36	236.00	29.50	No
82	1110000170	UR	800	223	40	243.00	30.38	No
83	1110000085	UR	800	253	8	257.00	32.13	No
84	1110001108	UR	800	253	17	261.50	32.69	No
85	1110000496	UR	800	261	8	265.00	33.13	No
86	1110000179	UR	800	260	14	267.00	33.38	No
87	1110001210	UR	800	266	13	272.50	34.06	No
88	1110000221	UR	800	273	20	283.00	35.38	No
89	1110000274	UR	800	292	6	295.00	36.88	No
90	1110000180	UR	800	294	14	301.00	37.63	No
91	1110000110	UR	800	306	18	315.00	39.38	No
92	1110001446	UR	800	309	20	319.00	39.88	No
93	1110001259	UR	800	348	12	354.00	44.25	No
94	1110001323	UR	800	346	17	354.50	44.31	No
95	1110000352	UR	800	356	13	362.50	45.31	No
96	1110001346	UR	800	357	21	367.50	45.94	No
97	1110000091	UR	800	358	22	369.00	46.13	No
98	1110000662	EWS	800	386	3	387.50	48.44	No
99	1110000788	UR	800	396	20	406.00	50.75	No

CSIR-Indian Institute of Chemical Biology

Annexure-II

Result of Stenography Test - held during the period from 11/05/2024 to 12/05/2024

<i>SL.No.</i>	<i>Roll No.</i>	<i>Category</i>	<i>No. of Words in the Master Passage</i>	<i>Full Mistakes</i>	<i>Half Mistakes</i>	<i>Total Misakes (Full Mistakes+ Half Mistakes/2)</i>	<i>Percentage of Errors (Rounded off to two decimal places)</i>	<i>Whether Qualified in Stenography Test</i>
100	1110000097	OBC	800	422	0	422.00	52.75	No
101	1110000538	UR	800	401	50	426.00	53.25	No
102	1110000260	UR	800	431	2	432.00	54.00	No
103	1110000118	UR	800	454	4	456.00	57.00	No
104	1110000149	UR	800	487	12	493.00	61.63	No
105	1110000142	SC	800	504	12	510.00	63.75	No
106	1110000596	UR	800	513	10	518.00	64.75	No
107	1110000782	UR	800	591	17	599.50	74.94	No
108	1110000334	UR	800	657	1	657.50	82.19	No
109	1110000402	UR	800	699	4	701.00	87.63	No
110	1110001106	OBC	800	705	0	705.00	88.13	No
111	1110001549	UR	800	706	8	710.00	88.75	No
112	1110001069	OBC	800	714	2	715.00	89.38	No
113	1110000248	UR	800	758	0	758.00	94.75	No
114	1110000476	UR	800	800	0	800.00	100.00	No
115	1110000698	EWS	800	816	0	816.00	102.00	No
116	1110001502	UR	800	816	0	816.00	102.00	No
117	1110000309	EWS	800	818	7	821.50	102.69	No
118	1110001561	EWS	800	884	0	884.00	110.50	No
119	1110000023	UR-PWD (LV)	800	678	30	693.00	86.63	No
120	1110000024	UR-PWD (LV)	800	772	0.5	772.25	96.53	No
121	1110000018	UR-PWD (LV)	800	778	24	790.00	98.75	No
122	1110000031	UR-PWD (LV)	800	831	6	834.00	104.25	No