

CSIR-INDIAN INSTITUTE OF CHEMICAL BIOLOGY
4, RAJA S. C, MULLUICK ROAD, JADAVPUR,
KOLKATA - 700 032.

SHORT TENDER NOTICE

Tender No.: CSIR_IICB / Admn 26 (812) / E / 2023

Date: 22/08/2023

Tender ID.: 2023_CSIR_165247_1

Online tenders (E-Tenders) are invited in two bid system from eligible Contractors/Bidders who have worked for CPWD, Railway, Post & Telegraph Dept, MES, State PWDs, other Government departments or Semi Government Organizations or CSIR or its Laboratories / Institutes and have successfully carried out civil works like construction and/or repair and renovation and/or up-gradation works of value(s) as under. The details of Pre-Qualification Criteria are stipulated in the Notice Inviting Tender (NIT).

The tender documents can be downloaded from Central Public Procurement (CPP) Portal <https://etenders.gov.in/eprocure/app> and the bids are to be submitted through the referred E-Procurement Portal only. **Manual / Offline bids will not be accepted.**


TABLE-I (Tender Details):

| Name of work | Estimated Cost (Rs.) | Time of Completion | Earnest Money Deposit (EMD) (Rs.) (Refundable as per rule) |
|--|---|--------------------|--|
| Providing and fixing of new water supply line and replacement of sluice valve at CSIR-IICB, Saltlake Campus, Kolkata-700091. | Rs 0.96 Lakh (Rupees Ninety Six Thousand Only). | 2 (Two) months. | Rs 1,920/- (Rupees One Thousand Nine Hundred Twenty Only). |

TABLE-II (CRITICAL DATE SHEET):

| Sl. No. | PARTICULARS | Date | Time |
|---------|---|------------|-----------|
| 1 | Online Publication of Tender | 23/08/2023 | 15:00 Hrs |
| 2 | Bid document downloaded/sale start date | 23/08/2023 | 15:00 Hrs |
| 3 | Online Bid submission start date | 23/08/2023 | 15:00 Hrs |
| 4 | Online Bid Submission end date | 31/08/2023 | 15:00 Hrs |
| 5 | Opening date of Technical Bid | 01/09/2023 | 15:00 Hrs |


Mr. A. Kumar
Administrative Officer


Mr. S. Ray
Sr. Superintendent Engineer
(Civil)

- Copy to: 1). Notice Board, CSIR-IICB – for display
2). CSIR-IICB Website – for display