CSIR-INDIAN INSTITUTE OF CHEMICAL BIOLOGY 4, RAJA S. C, MULLUICK ROAD, JADAVPUR, KOLKATA – 700 032.

41-

SHORT TENDER NOTICE

Tender No.: CSIR_IICB / Admn 26 (662) / E / 2021

Date: 20/07/2021

Tender ID.: 2021_CSIR_82590_1

Online tenders (E-Tenders) are invited in two bid system from eligible Contractors/Bidders who have worked for CPWD, Railway, Post & Telegraph Dept, MES, State PWDs, other Government departments or Semi Government Organizations or CSIR or its Laboratories / Institutes and have successfully carried out civil works like construction and/or repair and renovation and/or up-gradation works of value(s) as under. The details of Pre-Qualification Criteria are stipulated in the Notice Inviting Tender (NIT).

The tender documents can be downloaded from Central Public Procurement (CPP) Portal <u>https://etenders.gov.in/eprocure/app</u> and the bids are to be submitted through the referred E-Procurement Portal only. **Manual / Offline bids will not be accepted.**

TABLE-I (Tender Details):

Name of work	Estimated Cost (Rs.)	Time of Completion	Earnest Money Deposit (EMD) (Rs.) (Refundable as per rule)
Repairing and painting of steel almirah at CSIR-IICB, Jadavpur Campus, Kolkata-700032.	Rs 3.70 Lakh (Rupees Three Lac and Seventy Thousand Only).	3 (three) months.	Rs 7,400/- (Rupees Seven Thousand Four Hundred Only).

TABLE-II (CRITICAL DATE SHEET):

PARTICULARS	Date	Time
Online Publication of Tender	28/07/2021	15:00 Hrs
	28/07/2021	15:00 Hrs
	28/07/2021	15:00 Hrs
	09/08/2021	15:00 Hrs
	10/08/2021	15:00 Hrs
	PARTICULARS Online Publication of Tender Bid document downloaded/sale start date Online Bid submission start date Online Bid Submission end date Opening date of Technical Bid	Online Publication of Tender28/07/2021Bid document downloaded/sale start date28/07/2021Online Bid submission start date28/07/2021Online Bid Submission end date09/08/2021

Administr

Alain

Dr. N. Maiti Head (ESU)

Superintendent Engineer (Civil)

Copy to: 1). Notice Board, CSIR-IICB – for display 2). CSIR-IICB Website – for display 3