

CSIR-INDIAN INSTITUTE OF CHEMICAL BIOLOGY
4, RAJA S. C, MULLUICK ROAD, JADAVPUR,
KOLKATA – 700 032.

SHORT TENDER NOTICE

Date: 16/03/2021

Tender No.: CSIR_IICB / Admn 26 (651) / E / 2021

Tender ID.: 2021_CSIR_73361_1

Online tenders (E-Tenders) are invited in two bid system from eligible Contractors/Bidders who have worked for CPWD, Railway, Post & Telegraph Dept, MES, State PWDs, other Government departments or Semi Government Organizations or CSIR or its Laboratories / Institutes and have successfully carried out civil works like construction and/or repair and renovation and/or up-gradation works of value(s) as under. The details of Pre-Qualification Criteria are stipulated in the Notice Inviting Tender (NIT).

The tender documents can be downloaded from Central Public Procurement (CPP) Portal <https://etenders.gov.in/eprocure/app> and the bids are to be submitted through the referred E-Procurement Portal only. **Manual / Offline bids will not be accepted.**

TABLE-I (Tender Details):

Name of work	Estimated Cost (Rs.)	Time of Completion	Earnest Money Deposit (EMD) (Rs.) (Refundable as per rule)
Repairing, polishing and upgradation of wooden long table (With and without reagent rack), chemical rack & shelves and wall hanging wooden rack in Room no-217,128,234,236 and 43 at CSIR-IICB, Jadavpur Campus, Kolkata-700032.	Rs. 2.51 Lakh (Rupees Two Lac and Fifty-One Thousand Only).	2 (two) months.	Rs. 5,020/- (Rupees Five Thousand Twenty Only).

TABLE-II (CRITICAL DATE SHEET):

Sl. No.	PARTICULARS	Date	Time
1	Online Publication of Tender	18/03/2021	15:00 Hrs
2	Bid document downloaded/sale start date	18/03/2021	15:00 Hrs
3	Online Bid submission start date	18/03/2021	15:00 Hrs
4	Online Bid Submission end date	29/03/2021	15:00 Hrs
5	Opening date of Technical Bid	30/03/2021	15:00 Hrs

S. Saha
 S. Saha
 Administrative Officer

S. Saha
 Head (ESU) / Dy. Head (ESU)

S. Saha
 S. Saha
 Sr. Superintendent Engineer
 (Civil)

Copy to: 1). Notice Board, CSIR-IICB – for display
 2). CSIR-IICB Website – for display